












A FULLY SCULPTURED 70 MM PVC-U WINDOW AND DOOR SYSTEM

IDEAL 70


Main profiles




Glazing beads




Seals




Additional profiles




Equipment




Reinforcements




Aluminum profiles



Outerframe extension profiles




140207 - Frame Extension 60mm 140205 - Frame Extension 35mm 140209 - Frame Extension 15mm 120102 - Single Leg Extension 50mm




120237 - Single Leg Extension 30mm 120106 - Single Leg Extension 20mm 120236 - Single Leg Extension 15mm

Couplings




120224 - Coupling Single Sided 140203 - Coupling Full Width (white only)




140267 - Coupling Full Width 209044 + 2x 100270 - Multi Vista Coupler 140218 (229018) - Structural Coupling


Assemblies




90° Aluminum Post (209043) + Decorative Cover (100223)




Variable Angle Bay Post (209041) + Adapters (209042)
+ covers (100270 + 100271)



Low Aluminum Threshold (200040) + 2x Standard Ramp (200041)




Low Aluminum Threshold (200040) + Cill Ramp (200042) for
150mm Cill (100220) only




Jack (609045) for 209041 and 209043 - available for 100220
and 100221 only


Cills



100222 - 85mm Stub Cill




100220 - 150mm Cill



100221 - 180mm Cill


Bay & Angle Assemblies



209041 / 209042 / 100270 / 100271

209041 - Variable Post (Aluminum)
 209042 - Adapter (Aluminum)
 100270 - Internal Cover (PVC)
 100271 - External Cover (PVC)
 -> 609040 - Jack


For load bearing solutions



140248

140248 - 90 Degrees Post (PVC)


For non-load bearing solutions



209043 / 100223

209043 - 90 Degree Post (Aluminum)
 100270 - External 90 Degree Cover (PVC)
 -> 609040 - Jack

For load bearing solutions




140249

140249 - 135 Degree Post (PVC)
 Available in white only


For non-load bearing solutions

Assemblies




140218

140218 - In line structural Coupler (PVC)




140203

140203 - In line Coupler (PVC)
Available in white only



120236

2x 120236 - In line Coupler (PVC)



209044 / 100270

209043 - In line Coupler (Aluminum)
2x 100270 - Internal Cover (PVC)

For non-load bearing solutions